

www.hwa-young.com




***HWA YOUNG LP-GAS,
HIGH CAPACITY GAS
PRESSURE REGULATOR***

hy HWAYOUNG

HYRM SERIES REGULATOR




HYRM-10




Inlet Pressure Range :	Max 1.56 MPa
Outlet Pressure Range :	0 ~ 0.2 MPa
Capacity :	Max 15 kg/h
Inlet Connection Size :	Pol Handle, LH W22.5x14T
Outlet Connection Size :	PT 1/2B
Application :	Industrial

Capacity Rate Information

Service	P1 (MPa)	P2 (MPa)	Capacity
LPG	0.25~1.56	0.1	9 kg/h
	0.3~1.56	0.15	10 kg/h
	0.4~1.56	0.2	15 kg/h






HYRM-10A




Inlet Pressure Range :	Max 1.56 MPa
Outlet Pressure Range :	0 ~ 0.2 MPa
Capacity :	Max 15 kg/h
Inlet Connection Size :	Pol Handle, LH W22.5x14T
Outlet Connection Size :	Hose end
Application :	Industrial

Capacity Rate Information

Service	P1 (MPa)	P2 (MPa)	Capacity
LPG	0.25~1.56	0.1	9 kg/h
	0.3~1.56	0.15	10 kg/h
	0.4~1.56	0.2	15 kg/h






HYRM-15




Inlet Pressure Range :	Max 1.56 MPa
Outlet Pressure Range :	0 ~ 0.3 MPa
Capacity :	Max 20 kg/h
Inlet Connection Size :	NPT 1/4"
Outlet Connection Size :	NPT 1/4"
Application :	Industrial

Capacity Rate Information

Service	P1 (MPa)	P2 (MPa)	Capacity
LPG	0.25~1.56	0.1	10 kg/h
	0.3~1.56	0.15	15 kg/h
	0.4~1.56	0.3	20 kg/h






HYRM-35A




Inlet Pressure Range :	Max 1.56 MPa
Outlet Setting Pressure (P2) :	0.16 ~ 0.24 MPa
Outlet Pressure Range :	0 ~ 0.2 MPa
Capacity :	Max 150 kg/h
Working Temperature :	-20 °C ~ 60 °C
Connection Size :	PT 3/4

Capacity Rate Information

Service	P1 (MPa)	P2 (MPa)	Capacity
LPG	0.25~1.56	0.1	80 kg/h
	0.3~1.56	0.15	100 kg/h
	0.4~1.56	0.2	150 kg/h






HYRM-60A




Inlet Pressure Range :	Max 1.56 MPa
Outlet Setting Pressure (P2) :	0.16 ~ 0.24 MPa
Outlet Pressure Range :	0 ~ 0.2 MPa
Capacity :	Max 220 kg/h
Working Temperature :	-20 °C ~ 60 °C
Connection Size :	PT 3/4

Capacity Rate Information

Service	P1 (MPa)	P2 (MPa)	Capacity
LPG	0.25~1.56	0.1	150 kg/h
	0.35~1.56	0.15	200 kg/h
	0.4~1.56	0.2	220 kg/h



HYRM-350A



Inlet Pressure Range :	Max 1.56 MPa
Outlet Setting Pressure (P2) :	0.08 ~ 0.24 MPa
Outlet Pressure Range :	0 ~ 0.2 MPa
Capacity :	Max 350 kg/h
Working Temperature :	-20 °C ~ 60 °C
Connection Size :	PT 1-1/4"

Capacity Rate Information

Service	P1 (MPa)	P2 (MPa)	Capacity
LPG	0.25~1.56	0.1	150 kg/h
	0.3~1.56	0.15	220 kg/h
	0.4~1.56	0.2	350 kg/h

